



# FOAM BALERS



*Engineered For The Unique Challenge of Baling Foam*

# The Undisputed Leader in Foam Baling



Nobody builds a better foam baler than Max-Pak. That's a bold claim, but building a superior foam baler is why we've quietly become the industry leader in this highly specialized field.

We've engineered our foam balers *specifically for* the unique challenges of foam. Our passive spring-loaded dawg retention system eliminates spring back, and eliminates the need for an auxiliary hydraulic system common with other foam balers. When foam fights back it can send a shock through the hydraulic system, but our dampened system cushions the hydraulics, which prevents leaks and reduces maintenance costs.

Max-Pak's wide mouth feed openings eliminate the need for shredders when foam goes into our balers, and our unique design provides superior bale escapement when you're done.

Other companies modify cardboard and plastic balers to accommodate foam, but we've learned that foam is a different beast altogether. What works on cardboard or plastic just won't handle foam – from feed openings, to hydraulic systems, to material retention and bale escapement. So we took a different approach, and designed a baler specifically made to tame the beast.



*Elephant Ear Dawg Assembly  
Used On Horizontal Foam Balers  
is a Max-Pak Innovation That  
Provides Maximum Holding  
Capacity for Baling Foam.*






## MAX-PAK HORIZONTAL FOAM BALER SPECIFICATIONS

BALER MODEL	FEED OPENING	BALE SIZE	BALE WEIGHT	CYCLE TIME (No Load)	MOTOR	PUMP	CYLINDER	SYSTEM PRESSURE	RAM PRESSURE	PLATEN PRESSURE	OIL CAPACITY	SHIPPING WEIGHT
<b>HCE 3060F</b>	30 x 72	30 x 36 x 60	Up to 1100 lbs	17.49 Seconds	30hp 230/460v 3ph	60 GPM	7" Bore 5" Rod 105" Stroke	3000 PSI	109,681 lbs.	108.06 PSI	180 Gallons	18,000 lbs.
<b>HCE 3660F</b>	36 x 72	36 x 36 x 60	Up to 1100 lbs	17.49 Seconds	30hp 230/460v 3ph	60 GPM	7" Bore 5" Rod 105" Stroke	3000 PSI	109,681 lbs.	89.54 PSI	180 Gallons	20,000 lbs.
<b>HCE 4860F</b>	48 x 72	48 x 36 x 60	Up to 1500 lbs	22.85 Seconds	30hp 230/460v 3ph	60 GPM	8" Bore 5.5" Rod 105" Stroke	3000 PSI	143,256 lbs.	87.09 PSI	200 Gallons	25,000 lbs.

## MEASUREMENTS (inches)

MODEL	A	B	C	D	E	F	G	OVERALL LENGTH With Door Open	H	I	J
<b>HCE 3060F</b>	44	53.5	44.75	63.5	78	285.5	311.5	342	97.5	84.5	175
<b>HCE 3660F</b>	50	59.5	44.75	63.5	78	285.5	311.5	348	97.5	84.5	175
<b>HCE 4860F</b>	62	71.5	44.75	63.5	78	285.5	311.5	360	97.5	84.5	175



# The Max-Pak Difference

Since 1976, Max-Pak has been making quality balers and compactors for the waste industry. It was something we had to do. You see, we're also in the waste paper recycling business, and 30 years ago we couldn't find a baler that performed the way we needed. So we built our own.

Being in the waste business has its advantages when you're designing a baler. Not only do we understand the challenges and demands expected from a baler, we get to test and fine tune our ideas in a real working environment – our own.

For our other baler customers, it means they get the benefit of our front-line experience and our determination to only build the best. A Max-Pak baler is not good enough for our customers unless it's good enough for us.

At Max-Pak we take a personal interest in every machine we sell, and every customer we serve. It comes from our small town heritage. It's who we are. So it also makes sense that we deliver and install every baler ourselves, and then train your operators before we leave. We want you to be a friend and a Max-Pak customer for a long time. That's part of our small town, small company mentality.

But make no mistake. Max-Pak is no lightweight when it comes to balers. You'll find our equipment in some of the most demanding industries, with some of the most particular companies.

Our customers have come to know and trust Max-Pak for productivity, reliability, and integrity. So it's no surprise that over 90% of all Max-Pak balers ever built are still on the job. And we plan to keep it that way.

## Max-Pak Offers A Full Line of Baling and Recycling Equipment

Call Us For More Information, or to Locate Your Nearest Dealer.



*Full Eject Balers*



*Horizontal Closed End Balers*



*Vertical Balers*



*Auto-Tie Balers*



*Two-Ram Balers*



*Answer Two-Ram Baler*



*Full Eject Stampler*



*Compactors*



**Waste Processing Equipment, Inc.**

260 Dilbeck Road / P.O. Box 1047 • Rainsville, AL 35986

**Toll Free: 800-225-6458**

Fax: 256-638-8979 • Web Site: [www.maxpakbalers.com](http://www.maxpakbalers.com) • Email Sales: [sales@maxpakbalers.com](mailto:sales@maxpakbalers.com) • Email Service: [service@maxpakbalers.com](mailto:service@maxpakbalers.com)